

**Model: KVM-1702W-COMBO**

1.5U, 2 x 17.3" rackmount monitor keyboard drawer and USB hub



**Rear I/O for KVM-1702W-COMBO**

**Main Features**

- 1.5U 19" rackmount drawer integrated keyboard drawer and 2 x 17.3" LCD monitors
- 2 x VGA / DVI / HDMI input, viewing 2 x monitors simultaneously
- Each monitor has an independent OSD control, allowing independent panel control
- Support USB HUB 2.0 and Audio function
- 104 keys keyboard with touchpad
- Support DOS, Windows, Netware, Unix, Linux, Mac OS
- Hot Pluggable - Add or remove connected PCs without having to power down the computers
- Superior video quality @ 1920 x 1080, up to 1920 x 1200
- Build-in 2 x 2 Watts stereo speaker
- No software required
- Auto Scan Mode for monitoring PCs

Specification		
Product Model		KVM-1702W-COMBO
LCD	Size	2 x 17.3" Full HD LED Panel
	Resolution	1920 x 1080
	Max. color	26.2M

	Luminance	300 nit
	View Angel	140° (H), 120° (V)
	Pixel Pitch	0.1989 x 0.1989 mm
	Contrast Ratio	500 : 1
Host Port Connection		2 x VGA / DVI-D / HDMI Port female
		1 x USB Port (for keyboard & touch-pad)
		1 x Audio Port 3.5mm phone Jack
USB 2.0 HUB Connectors ( Type A )		2 x ports for USB Device
Internal Power Adapter		100-240VAC; 50/60Hz; 12VDC/5A , 60w via IEC type cord
Environment	Operating Temperature	0 - 50°C
	Store Temperature	-20 - 60°C
	Humidity	10-90% RH , NC
Housing		Heavy Duty Steel
Size		1.5U 19" Rack mount type
Rack Installation Depth		600 to 900mm (front to rear rails)
Net / Gross Weight		15kg / 18kg
Dimensions (W*D*H)		450 x 535 x 67 mm
<b>Order Information</b>		
KVM-1702W-COMBO		1.5U 19" rackmount drawer integrated keyboard drawer and 2 x 17.3" LCD monitors, 1.8 meter 2 x VGA / DVI / HDMI, 1 x USB, 1 x Audio cable
Optional		Upgrade to 8-30VDC input

### Structure Diagram



